



Adinath


Create, Enhance & Sustain

C-86200:MANGANESE BRONZE/HIGH TENSILE BRASS

Specification Sheet

DESCRIPTION

C86200 is a high tensile brass or high strength manganese bronze with good ductility and wearing properties. It has a poor machinability and reasonable corrosion resistance that may be susceptible to dezincification under certain conditions.



CHEMICAL COMPOSITION

Element	Cu	Al	Fe	Ni	Mn	Zn	Pb	Sn
Min (%)	60.00	3.00	2.00	-	2.50	22.00	-	-
Max (%)	66.00	4.90	4.00	1.00	5.00	28.00	0.20	0.20

Note: Ni includes Co; Cu+ named elements >= 99.5%; Unless otherwise noted, single values represent maximums.

COMPARATIVE SPECIFICATIONS

ASTM : B505, B271	SAE : J461, J462
-------------------	------------------

FABRICATION PROPERTIES

Soldering	Brazing	Machinability Rating
Poor	Poor	30

CASTING CHARACTERISTICS

Casting Attribute	Level
Casting Yield	Low
Drossing	High
Fluidity	Medium
Gassing	Low

C86200:MANGANESE BRONZE /HIGH TENSILE BRASS



TYPICAL USES

Product Category	Product	Reason
 <p>Builders Hardware</p>	Brackets, Structural Parts.	Corrosion Resistance, Moderate Strength.
 <p>Fasteners</p>	Screw Down Nuts.	Corrosion Resistance, Wear Resistance, Moderate Strength.
 <p>Industrial</p>	Bushings, Cams, Frames, Gears, High Strength Machine Parts, Hooks, Marine Racing Propellers, Pressing Dies for Wood Pulp, Shafts, Struts, Valve Stems, Wear Rings for Pressing Dies for Wood Pulp Industry, Worm Gears.	Corrosion Resistance, Wear Resistance, Moderate Strength, Thermal Conductivity, Corrosion Resistance to the Atmosphere, Corrosion Resistance to Salt Water.
 <p>Marine</p>	Boat Parts, Clamps, Marine Castings, Rudders.	Corrosion Resistance, Corrosion Resistance to Salt Water, Corrosion Resistance to the Atmosphere, Wear Resistance, Moderate Strength, Corrosion Resistance to the Atmosphere.
 <p>Ordnance</p>	Gun Mounts.	Appearance, Corrosion Resistance, Wear Resistance, Moderate Strength.

C86200:MANGANESE BRONZE /HIGH TENSILE BRASS

PACKING

ADINATH manufactures wide range of copper Alloys in the form of **Certified Ingots** weighing from 8-10 kgs each.

Standard Packaging of **1 Metric Ton** in Wooden Pallet.



VALUE ADDED SERVICES

Casting Range




25 Grams to 10 Kgs

Forging Sizes



50 Grams to 6 Kgs

Machining Sizes



1 mm to 200 mm

CONNECT WITH US Adinath Extrusion Pvt. Ltd.

Plot No. 4051-4055,
Bhagwan Mahavir Swami Marg,
G.I.D.C., Phase-III, Dared,
Jamnagar - 361004, Gujarat, India.

+91 7600 55 9243 +91 288 2730868
sales@adinathextrusion.com,
marketing@adinathextrusion.com
www.adinathextrusion.com

